

MATERIAL SAFETY DATA SHEET

Miller Auto Parts & Supply Company Inc.
10151 Fairgrounds Road
Huntingdon, PA16652
Phone: 814-643-4763
Emergency: 800-424-9300

Date Prepared: October 1, 2007
Prepared By: Technical Services
Date of Review/Update:

SECTION 1 - PRODUCT IDENTIFICATION

Item Number: 1859
Product Name: Power Brite Non Acid Wheel Cleaner

SECTION 2 - HAZARDOUS INGREDIENTS

<u>Hazardous Component</u>	<u>CAS Number</u>	<u>% Range</u>	<u>OSHA PEL</u>	<u>ACGHI TLV</u>
Sodium EDTA	64-02-8	5 - 10	N/A	N/A
Sodium Metasilicate	6834-92-0	1 - 5	N/A	N/A
Nonylphenol Ethoxylate	9016-45-9	3 - 5	N/A	N/A

Listed as IARC, NTP, or OSHA Carcinogen:

HMIS Rating:

Health - 2 Fire - 0 Reactivity - 0 Personal Protection - C
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 3 - PHYSICAL CHARACTERISTICS

Boiling Point: 212°	Vapor Pressure (mmHg @ 68F):
Vapor Density: N/A	Solubility in Water: Complete
Specific Gravity: 1.04 ± 0.05	Melting Points: N/A
% Volatile: 82.0 ± 0.5	pH: 13.5 ± 0.5
Appearance/Odor: Water Clear	

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point / Method: N/A
Flammable Limits: N/A LEL: N/A UEL: N/A
Extinguishing Media: N/A
Special Fire Fighting Procedures: N/A
Unusual Fire and Explosion Hazards: N/A

SECTION 5 - HEALTH HAZARD DATA

Signs and Symptoms of Exposure:

Eye: Prolonged contact may cause severe irritation, tearing and blurred vision.

Ingestion: Harmful or fatal if swallowed.

Skin: Dryness, redness and itching or burning sensation.

Breathing: Irritation of respiratory system, head ache.

Medical Conditions Aggravated by Exposure: Irritation of eyes, skin and respiratory system.

Emergency & First Aid Procedures:

Eyes: Flush with large amounts of water. Get medical attention.

Ingestion: DO NOT induce vomiting. Get medical attention.

Skin: Wash with soap and water, If irritation persists, get medical attention.

Breathing: Remove to fresh air. Get medical attention.

SECTION 6 - REACTIVITY DATA

THE INFORMATION GIVEN HEREIN IS GIVEN IN GOOD FAITH. HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS MADE.
ANY USE OF THIS PRODUCT THAT IS NOT IN CONFORMANCE WITH THIS MSDS IS THE SOLE RESPONSIBILITY OF THE USER.

Stability: Stable
Hazardous Polymerization: Will not occur
Hazardous Decomposition Products: Will not occur

Materials to Avoid: Oxidizing agents
Conditions to Avoid: Strong mineral acids

SECTION 7 - SPILL OR LEAK PROCEDURES

Steps to be taken if Material is Spilled or Leaked: Pick up excess with a wet-dry vac. Rinse with clean water and allow to dry.
Waste Disposal: Dispose of in accordance with federal, state and local regulations.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Ventilation: Use with adequate ventilation.
Respirator Protection: Self contained breathing apparatus for severe exposure.
Skin Protection: Wear recommended rubber gloves.
Eye Protection: Safety glasses with side shields.
Precautions to be taken in Handling and Storage: Contents may burn the skin.
Special Storage Requirements: Affix proper warning labels on containers.

SECTION 9 - REGULATORY INFORMATION

D.O.T. REQUIREMENTS (49CFR 172.101): Not regulated

SECTION 311/312 HAZARD CLASS - 40CFR 370.2

Immediate	(x)	Reactive	()
Delayed	(x)	Sudden Release of Pressure	()
Fire	()		

RQ (Reportable Quantity) 49 CFR 172.101:

TSCA (Toxic Substance Control Act) Status:

CERCLA RQ-40CFR 302.4:

SARA 302 COMPONENTS – 40CFR 355 Appendix A:

SECTION 311/312 HAZARD CLASS – 40CFR 370.2:

Immediate (X)	Reactive ()	Delayed (X)	Fire ()	Sudden release of pressure ()
-----------------	--------------	---------------	----------	--------------------------------

WORKPLACE HAZARDOUS INFORMATION SYSTEM (WHMIS)

Ingredient	Max. % By Wt.	LD50	LC50
Sodium EDTA	5 – 10	N/A	N/A
Sodium Metasilicate	1 – 5	N/A	N/A
Nonylphenol Ethoxylate	3 – 5	N/A	N/A